

# MINEX



SPARE PARTS CATALOGUE 2025

11/02/2025

[WWW.ZUMEX.COM](http://WWW.ZUMEX.COM)

MINEX

|             | DESCRIPTION             | COMPOSITION   | FOTO  |
|-------------|-------------------------|---|---|
| S3300002:00 | CLEANING BRUSH          | Cleaning brush<br>Valid for all the serial numbers                                  |    |
| S3310010:00 | MX FEEDER DOOR          | MX Graphite colour Feeder door<br>Valid for all the serial numbers                  |    |
| S3310020:00 | MX FEEDER COUNTERWEIGHT | MX counterweight<br>Valid for all the serial numbers                                |    |
| S3310030:00 | MX FEEDER DISPENSER     | MX Graphite colour Dispenser<br>Valid for all the serial numbers                    |  |
| S3310040:00 | MX FEEDER RAMP          | MX Graphite colour feeder ramp<br>Valid for all the serial numbers                  |  |
| S3310051:00 | MX 2.0 SUPPORT PIVOT    | MX Support pivot V 2.0<br>For machines with serial number subsequent to 333375      |  |
| S3310060:00 | MX FRONTAL COVER        | MX Front cover<br>Valid for all the serial numbers                                  |  |
| S3310070:00 | MX JUICE TRAY           | MX Graphite colour Juice tray<br>For machines with serial number previous to 391808 |  |

**MINEX**

|             | DESCRIPTION                                  | COMPOSITION  | FOTO  |
|-------------|--|--|---|
| S3310110:00 | <b>MX DRIP TRAY</b>                          | MX Graphite colour drip tray<br>Valid for all the serial numbers   |    |
| S3310150:01 | <b>MX UPPER PRESSING UNIT</b>                | MX Upper plastic pressing unit<br>Valid for all the serial numbers   |    |
| S3310160:01 | <b>MX SUPPORT PIVOT SHAFT +SUPPORT PIVOT</b> | MX Support pivot shaft + DIN 6798A Washer + DIN 934 Nut + DIN 127 Washer + Support pivot V2.0<br>Valid for all the serial numbers              |   |
| S3310161:00 | <b>MX 2.0 SUPPORT PIVOT SHAFT</b>            | MX Support pivot shaft + DIN 439 MF Nut + DIN 127 Washer<br>For machines with serial number subsequent to 333375                               |  |
| S3310170:00 | <b>MX COVER BASE</b>                         | Mx cover base + Mx feet (4units) + Din 934 Nut (4units) + DIN 7991 Screw (4units)<br>Valid for all the serial numbers                          |  |
| S3310211:00 | <b>MX FAUCET O-RING</b>                      | Mx V 2.0 Silicone faucet O-ring<br>For machines with serial number previous to 391808  |  |
| S3310240:00 | <b>MX REDUCER MOTOR</b>                      | MX motor reducer + Connection female (2units) + Connector pin<br>Valid for all the serial numbers  |  |
| S3310250:00 | <b>MX MAIN CONTROL BOARD</b>                 | Mx Main board + Plastic bridle + ESP Screw Heyco (2units) + RFX 81T Screw (4units)<br>Valid for machines with serial number previous to 418218 |  |

MINEX

|             | DESCRIPTION                              | COMPOSITION  | FOTO  |
|-------------|--|--|---|
| S3310251:00 | <b>MX MAIN CONTROL BOARD AND FILTER</b>  | Mx Main board + Plastic bridle + Filter + ESP Screw Heyco (2units) + DIN 912 Screw + DIN 985 Nut + DIN 6798A Washer<br><br>For machines with serial number subsequent to 418218 ** Valid for machines with serial number between 391808 and 418217, removing the filter S3310740:00    |    |
| S3310260:00 | <b>MX DISPENSER DRIVER</b>               | MX inner drive + Mx extern drive + spring drive + DIN 934 nut + DIN 125 Washer + Silicone joint (2units)<br><br>Valid for machines with serial number previous to 485468   |    |
| S3310261:00 | <b>MX DISPENSER DRIVER</b>               | MX inner drive + Mx extern drive + spring drive + DIN 934 nut (2uts) + DIN 125 Washer (2uts) + Silicone joint (2units) + Cable Stop<br><br>For machines from serial number 485469<br>** Also valid for machines updated with Kit S3310471:01   |   |
| S3310262:00 | <b>MX DISPENSER DRIVER CABLE SUPPORT</b> | Cable Stop + DIN 934 Nut + DIN 125 Washer<br><br>For machines from serial number 485469<br>** Also valid for machines updated with Kit S3310471:01   |  |
| S3310265:00 | <b>MX OPENING SPRING</b>                 | Opening Spring + RFX Screw + Washer DIN 9021<br><br>For machines from serial number 485469<br>** Also valid for machines updated with Kit S3310471:01  |  |
| S3310270:00 | <b>MX TWIRLER BLADE ROTOR SHAFT</b>      | Rotor shaft + Screw DIN 7985 + Washer DIN 125 + O-ring + Seal washer + Bearing 6802 2RS s.s (2units) + MX Spacer + Weight adhesive<br><br>For serial numbers previous to 391808, in machines with serial number previous to 333374 use with references S3310320, S3310400 and S3310410 |  |
| S3310280:00 | <b>MX WEIGHT</b>                         | MX Weight + Weight adhesive<br><br>For machines with serial number previous to 391808  |  |
| S3310290:00 | <b>MX COUNTERWEIGHT BELT</b>             | MX Belt weight<br><br>For machines with serial number previous to 391808   |  |

MINEX

|             | DESCRIPTION                 | COMPOSITION   | FOTO  |
|-------------|-----------------------------|---|---|
| S3310291:00 | MX ROCKER ARM BELT          | Mx Rocker arm belt<br>Valid for machines with serial number between 391809 and 485468   |    |
| S3310292:00 | MX ROCKER ARM RACK          | MX Rocker arm rack + Washer DIN 125 + RFX 81T screw<br>For machines from serial number 485469<br>** Also valid for machines updated with Kit S3310471:01  |    |
| S3310300:03 | MX ROCKER ARM               | MX Rocker arm + Washer DIN 125 + RFX 81T screw<br>Valid for all the serial numbers  |    |
| S3310310:01 | MX FRONT COVER LOCK BRACKET | MX Graphite colour Bracket + DIN 7981B Screw (2units)<br>Valid for machines with serial number subsequent to 415057 ** Possibility to use in machines with previous serial number placing the microswitch in the lower hole.  |  |
| S3310320:01 | MX TWIRLER BLADE BRACKET    | MX Graphite colour Fix blade bracket + Screws DIN 912 (3units)<br>For machines with serial number subsequent to 333374, in machines with serial number previous to 333374 use with references S3310270, S3310400 and S3310410   |  |
| S3310330:01 | MX KEYBOARD MODULE          | MX Keyboard module + Keyboard Bus + Rocker arm sticker<br>Valid for all the serial numbers  |  |
| S3310340:00 | MX PLASTIC FRAME MODULE     | Frame + Door shaft (2units) + S.S front + Peel ejec. holder (2units) + Expander (12units) + Kit Fix blade bracket + Kit Wire Shaft seal + Wire feeder arm set + Wire guide tube + GPN Plastic Plug<br>For serial numbers previous to 391808<br>**Spare part sold with identification label and on request. INDISPENSABLE SEND THE SERIAL NUMBER |  |
| S3310341:02 | MX PLASTIC FRAME            | Frame + Door shaft (2units) + S.S front + Peel ejec. holder (2units) + Expander (12units) + Kit Fix blade bracket + MX Feeder wire update Kit + MX Rotor shaft kit<br>Serial numbers subsequent to 391809<br>**Spare part sold with identification label and on request. INDISPENSABLE SEND THE SERIAL NUMBER                                   |  |

MINEX

|             | DESCRIPTION                              | COMPOSITION  | FOTO  |
|-------------|--|--|---|
| S3310400:02 | <b>MX BLADE</b>                          | MX Stainless Steel twirler blade<br>For machines with serial number subsequent to 333375, in machines with serial number previous to 333374 use with references S3310320, S3310270 and S3310410            |    |
| S3310410:02 | <b>MX BLADE HOLDER SET</b>               | MX Twirler blade holder + MX Blade blockage<br>For machines with serial number subsequent to 333375, in machines with serial number previous to 333374 use with references S3310320, S3310400 and S3310270 |    |
| S3310420:00 | <b>MX LOCK KIT</b>                       | MX Plastic cover lock + Lock base + RFX 81T Screw (2units)<br>Suitable for machines with serial number subsequent to 333377  |    |
| S3310430:00 | <b>MX SILICON SHAFT FASTENERS (2uts)</b> | MX Silicone Shaft seal (2units)<br>Valid for all the serial numbers  |  |
| S3310450:00 | <b>MX TAP</b>                            | MX Faucet push + Push spring + Graphite colour Faucet piston + Silicone O-ring<br>For machines with serial number previous to 391808   |  |
| S3310460:02 | <b>MX KEYBOARD COVER</b>                 | MX Keyboard cover + ON/OFF Button + O-ring thread + DIN 125 Washer (3units) + Silicone joint (3units) + RFX 81T Screw (3units)<br>Valid for all the serial numbers   |  |
| S3310471:01 | <b>MX FEEDER WIRE UPDATE KIT</b>         | MX Dispenser driver set + Opening Spring + MX Rocker arm rack + MX Rocker arm + Mx Rotor Rack + Rotor shaft spring set<br>For updating machines with serial number subsequent to 391809                    |  |
| S3310475:00 | <b>MX FEEDER SYSTEM REINFORCEMENT</b>    | Mx Wire feeder-rocker arm set + Spring cover + Retaining wire + RFX 81T Screw (2units)<br>For machines with serial number previous to 485468   |  |

MINEX

|             | DESCRIPTION                               | COMPOSITION  | FOTO  |
|-------------|---|--|---|
| S3310476:00 | <b>MX FEEDER RACK WIRE</b>                | Mx Wire feeder-rocker arm set<br>For machines from serial number 485469<br>** Also valid for machines updated with Kit S3310471:01 |    |
| S3310480:00 | <b>MX GEAR LEVY</b>                       | MX Gear levy<br>Valid for all the serial numbers   |    |
| S3310490:00 | <b>MX POSITION MODULE</b>                 | MX Position module + Position module bus<br>Valid for all the serial numbers   |    |
| S3310500:00 | <b>MX FEEDER BARRIER MODULE</b>           | MX Feeder barrier module + Feeder barrier module bus<br>For machines with serial number previous to 391808                         |  |
| S3310502:00 | <b>MX FEEDER BARRIER BUS</b>              | Barrier board-power board BUS MX<br>For machines with serial number subsequent to 391809   |  |
| S3310510:00 | <b>MX REAR COVER</b>                      | MX Graphite colour Rear cover<br>Valid for all the serial numbers  |  |
| S3310520:00 | <b>MX BUS MODULE POWER-CONTROL</b>        | Main board to Keyboard module bus<br>Valid for machines with serial number subsequent to 342019                                    |  |
| S3310530:00 | <b>MX BUS MODULE POWER-FEEDER BARRIER</b> | Main board to Feeder barrier module bus<br>Valid for machines with serial number between 342019 and 391809                         |  |

MINEX

|             | DESCRIPTION                          | COMPOSITION   | FOTO  |
|-------------|--------------------------------------|---|---|
| S3310540:00 | <b>MX BUS MODULE POWER-POSITION</b>  | Main board to Position module bus<br>Valid for machines with serial number subsequent to 342019   |    |
| S3310550:00 | <b>MX SECURITY MICRO-SWITCH</b>      | MX Secudity micro-switch + Pin fast-on<br>Valid for serial numbers previous to 423803<br>**Placed in the lower hole of lock bracket from serial number 415058 |    |
| S3310551:00 | <b>MX SECURITY MICRO-SWITCH</b>      | MX Secudity micro-switch + Pin fast-on<br>Valid for machines with serial number subsequent to 423804  |    |
| S3310560:00 | <b>MX PEELS DEPOSIT SENSOR</b>       | MX Double magnetic detector + Silicone joint + DIN 934 Nylon nut<br>Valid for all the serial numbers  |  |
| S3310580:00 | <b>MX ROTOR</b>                      | Mx Twirler blade rotor + DIN 7985 Screw + DIN 6798A Washer<br>For machines with serial number previous to 485468  |  |
| S3310581:00 | <b>MX ROTOR RACK</b>                 | Mx Rotor Rack + DIN 7985 Screw + DIN 6798A Washer<br>For machines from serial number 485469<br>** Also valid for machines updated with Kit S3310471:01        |  |
| S3310590:00 | <b>MX IEC SOCKET BASE</b>            | IEC Socket base + Fuse (2units) + Bridge wire (2units)<br>Valid for all the serial numbers  |  |
| S3310620:00 | <b>MX 2.0 JUICE CONTAINER FILTER</b> | MX Juice container filter<br>Assembled in machines with serial number subsequent to 391809 and valid for all the serial numbers.                              |  |





MINEX

|             | DESCRIPTION                     | COMPOSITION   | FOTO  |
|-------------|---------------------------------|---|---|
| S3310630:00 | <b>MX 2.0 JUICE CONTAINER</b>   | MX V 3.0 Juice container<br>For machines with serial number subsequent to 391809 and valid to update machines with serial number subsequent to 382339   |    |
| S3310640:00 | <b>MX 2.0 TAP</b>               | Mx V 3.0 Faucet with joint<br>For machines with serial number subsequent to 391809 and valid to update machines with serial number subsequent to 382339   |    |
| S3310660:00 | <b>MX 2.0 FAUCET SEAL</b>       | V 3.0 Juice in-out joint<br>For machines with serial number subsequent to 391809 and valid to update machines with serial number subsequent to 382339   |    |
| S3310670:00 | <b>MX 2.0 TENSION SPRING</b>    | Rotor shaft spring + MX Belt bridle + MX weight belt + DIN 912 Screw + DIN 6798A Washer<br>For machines with serial number between 391809 and 449997<br>For machines with wire of 1,5mm   |  |
| S3310671:00 | <b>MX 2.0 TENSION SPRING D3</b> | Rotor shaft spring + MX Belt bridle + MX weight belt + DIN 912 Screw + DIN 6798A Washer<br>Valid for machines with serial number between 449998 and 485468<br>For machines with wire of 3mm   |  |
| S3310672:00 | <b>MX RACK TENSION SPRING</b>   | Rotor shaft spring + MX Belt bridle + MX belt + DIN 912 Screw + DIN 6798A Washer<br>For machines with serial number from 485469<br>** Also valid for machines updated with Kit S3310471:01  |  |
| S3310680:00 | <b>MX 2.0 ROTOR SHAFT</b>       | Rotor shaft MX V 3.0 + Screw DIN 7985 + Washer DIN 125 + Bearing 6802 2RS S.S (2units) + MX Bearings spacer + Rotor Shaft specific grease<br>For machines with serial number subsequent to 391809   |  |
| S3310690:00 | <b>MX UPDATE KIT</b>            | ASP Upper presing unit + ASP Lower presing unit + Support pivot + Blade block + Twirler blade holder + S.S Twirler blade + ASP Left peel ejector + Securing knob (2units) + Silicone joint (2units) + ASP Label<br>For machines with serial number subsequent to 333375 |  |

MINEX

|             | DESCRIPTION                       | COMPOSITION   | FOTO  |
|-------------|-----------------------------------|---|---|
| S3310700:00 | <b>MX GEAR CASE MOUNTING TOOL</b> | MX Gear case mounting tool (2units)<br>This tool is used to facilitate the assembly of gear case and the Shaft seals in the frame   |    |
| S3310710:00 | <b>MX POSITION MODULE BRACKET</b> | DIN 439 Nut + DIN 125 Washer + Cable guide + Mx Feeder system Metallic PCB + DIN 6798 Washer + DIN 934 Nut (2units) + Din 7984 Screw (2units)<br>For machines with serial number between 391809 and 418013                    |    |
| S3310720:00 | <b>MX FOOT</b>                    | MX Foot<br>Valid for all the serial numbers   |    |
| S3310730:00 | <b>MX POWER SUPPLY CABLE UE</b>   | Mx Schuko 90° Power supply cable<br>Valid for all the serial numbers  |  |
| S3310731:00 | <b>MX POWER SUPPLY CABLE UL</b>   | Schuko 90° UL Power supply cable<br>Valid for all the serial numbers  |  |
| S3310732:00 | <b>MX POWER SUPPLY CABLE GB</b>   | Mx Schuko 90° GB Power supply cable<br>Valid for all the serial numbers   |  |
| S3310733:00 | <b>MX POWER SUPPLY CABLE AUS</b>  | Schuko 90° AUS Power supply cable<br>Valid for all the serial numbers   |  |
| S3310740:00 | <b>MX MAIN BOARD FILTER</b>       | Mx Main board wires and filter<br>Valid for machines with serial numbers previous to 417579 **For machines with serial number between 391808 and 417578, it is not necessary if the electronic board S3310251:00 is installed |  |




MINEX

|             | DESCRIPTION                           | COMPOSITION  | FOTO  |
|-------------|---------------------------------------|--|---|
| S3310760:00 | <b>MX GEARBOX GROUP</b>               | Full gear case + Motor + Kit lower shaft + Kit upper shaft + Eight reforc.<br>Valid for all the serial numbers   |    |
| S3310770:00 | <b>MX SUPPORT-BEARING KIT</b>         | Bearing 6007 2RS (2units) + MX eight support + DIN 471 E-35 seg ring (2units) + DIN 471 E-30 seg ring (2units) + 61904 2RS Bearings (2units)<br>Valid for all the serial numbers |    |
| S3310780:00 | <b>MX BIG PLASTIC GEAR</b>            | Mx Big plastic gear<br>Valid for machines with serial numbers previous to 462709   |   |
| S3310781:00 | <b>MX BIG PLASTIC GEAR</b>            | Mx Big plastic gear<br>For machines with serial number subsequent to 462710  |  |
| S3310790:00 | <b>MX SMALL PLASTIC GEAR</b>          | Mx small plastic gear<br>Valid for machines with serial numbers previous to 462709   |  |
| S3310791:00 | <b>MX SMALL PLASTIC GEAR</b>          | Mx small plastic gear<br>For machines with serial number subsequent to 462710  |  |
| S3310800:00 | <b>MX LOWER PLASTIC PRESSING UNIT</b> | Mx Lower plastic pressing unit<br>Valid for machines with serial numbers previous to 489222  |  |
| S3310801:00 | <b>MX LOWER PLASTIC PRESSING UNIT</b> | Mx Lower plastic pressing unit<br>For machines with serial number subsequent to 489223   |  |

**MINEX**

|             | DESCRIPTION                                  | COMPOSITION  | FOTO  |
|-------------|--|--|---|
| S3310810:00 | <b>MX LEFT PEEL EJECTOR</b>                  | Left peel ejector<br>Valid for all the serial numbers  |    |
| S3310820:00 | <b>MX SECURING KNOBS (2uts)</b>              | Securing knob (2units) + Silicone joint (2units)<br>Valid for all the serial numbers   |    |
| S3310830:00 | <b>MX PEEL EJECTORS PIVOT HOLDERS (2uts)</b> | Peel ejector pivot holder (2units)<br>Valid for all the serial numbers   |    |
| S3310840:00 | <b>MX COMPONENTS</b>                         | Mx SNACAP Washer (4units) + DIN 7991 Screw (4units) + Mx BLACK SNAPCAP PLUG (4units) + Expansible thread DRR011 (2units)<br>Valid for all the serial numbers   |  |
| S3310841:00 | <b>MX FRONT COVER EXPANDERS</b>              | Heyco Expander (12units)<br>Valid for all the serial numbers   |  |
| S3310850:00 | <b>MX PLASTIC HINGES</b>                     | MX B Hinge + Mx A Hinge<br>Valid for all the serial numbers  |  |
| S3310860:01 | <b>MX UPPER PRESSING SHAFT KIT</b>           | Mx upper pressing shaft + key 10 x 8 x 25 + Mx Big plastic gear + DIN 471 E-35 seg ring (2units) + DIN 471 E-30 seg ring (2units)<br>Valid for all the serial numbers  |  |
| S3310870:01 | <b>MX LOWER PRESSING SHAFT KIT</b>           | Mx lower pressing shaft + key 10 x 8 x 25 + Mx small plastic gear + Bearing 6007 2RS (2units) + MX eight support + DIN 471 E-35 seg ring (2units) + DIN 471 E-30 seg ring (2units) + 61904 2RS Bearings (2units)<br>Valid for all the serial numbers |  |

MINEX

|                        | DESCRIPTION                   | COMPOSITION   | FOTO  |
|------------------------|-------------------------------|---|---|
| S3310880:00            | MX WEIGHT INOX FRONT          | Mx weight inox front + Mx expansible thread heyco (12units)<br>For machines with serial number previous to 391808   |    |
| S3310881:00            | MX SPRING INOX FRONT          | Mx spring inox front + Mx expansible thread heyco (12units)<br>For machines with serial number subsecuent to 391809   |    |
| S3310890:00            | MX DOOR SHAFT (2uts)          | Mx door shaft (2units)<br>Valid for all the serial numbers  |    |
| S3310900:00            | MX PARALEL BOLT               | Mx paralel key<br>For machines with motor with paralel key  |  |
| S3310901:00            | MX DISC BOLT                  | Mx disc key<br>For machines with motor with disc key  |  |
| S3310910:00            | MX ELECTRONIC BOX COVER       | MX Electronic box cover + Esp HEYCO Screw (4units)<br>For machines with serial number subsequent to 343207, or with the gearbox reference 33.1076.000 installed |  |
| 04919:00 PAMPLE<br>ORA | COLOR KIT MX PAMPLE<br>ORANGE | Jar MX Orange + Peel bucket MX Orange<br>Valid for all the serial numbers ** For the rest of colours check the accessories catalogue                            |  |