


# VERSATILE










Versatile Pro, Self-service, Digital, On/OFF y Z-200

## *SPARE PARTS CATALOGUE*












2014.06.13


VERSATILE

REF.	DESCRIPTION	COMPOSITION	FOTO
<b>S3300000:00</b> 33.0000.000	<b>FASTENER SUPPORT CAPS</b>	Fastener support cap (16units)  For machines with serial number subsequent to 218197. Caps used aswell in reference S3300100: 00	
<b>S3300001:00</b> 33.0000.100	<b>REAR COVER HEYCO SCREWS</b>	Esp. HEYCO Screw (6units)  Valid for all the serial numbers. Screws used in rear covers of Versatile and Essential models.	
<b>S3300002:00</b> 33.0000.200	<b>CLEANING BRUSH</b>	Cleaning brush  Valid for all the serial numbers	
<b>S3300010:02</b> 33.0001.002	<b>RIGHT PEEL EJECTOR</b>	Asp right peel ejector  For machines with serial number subsequent to 207530	
<b>S3300020:02</b> 33.0002.002	<b>LEFT PEEL EJECTOR</b>	Asp left peel ejector  For machines with serial number subsequent to 207530	
<b>S3300035:00</b> 33.0003.500	<b>ASP PEEL EJECTORS KIT</b>	Asp left peel ejector + ASP right peel ejector  For machines with serial number subsequent to 207530	
<b>S3300050:00</b> 33.0005.000	<b>PEEL EJECTOR SHOVEL</b>	Peel ejector shovel  For machines with serial number previous to 207530	
<b>S3300060:00</b> 33.0006.000	<b>PEEL EJECTORS PIVOT HOLDERS (2uts)</b>	Peel ejector pivot holder (2units)  For machines with serial number subsequent to 207530	
<b>S3300090:00</b> 33.0009.000	<b>FASTENER-HOLDER-SEAT RING v1.1</b>	Fastener holder + Fastener with stainless steel spring + Silicone joint  For machines with serial number between 163000 and 218196	










VERSATILE

REF.	DESCRIPTION	COMPOSITION	FOTO
<b>S3300100:00</b> 33.0010.000	<b>FASTENER W/SCREWS v2.0</b>	Fastener holder + Fastener with stainless steel spring + Silicone joint + Cap (4units) + DIN 912 screw (4units) <i>For machines with serial number subsequent to 218197</i>	
<b>S3300110:00</b> 33.0011.000	<b>6007 2RS BEARINGS (2uts)</b>	Bearing 6007 2RS (2units) <i>Valid for all the serial numbers</i>	
<b>S3300120:00</b> 33.0012.000	<b>BLADE HOLDER v1.0</b>	Blade holder V 1.0 <i>For machines with serial number previous to 207530</i>	
<b>S3300130:01</b> 33.0013.001	<b>ASP BLADE HOLDER V2.2</b>	Asp blade holder V 2.1 <i>For machines with serial number subsequent to 207530</i>	
<b>S3300140:00</b> 33.0014.000	<b>VER/ESS JUICE CONTAINER FILTER</b>	Juice container filter VER / ESS <i>Valid for all versions previous to PRO</i>	
<b>S3300150:00</b> 33.0015.000	<b>JUICERS SEEGER RING KIT</b>	Seeger ring (4units) <i>Valid for all the serial numbers</i>	
<b>S3300171:00</b> <b>YELLOW</b> 33.0017.050	<b>OB VER/ESS PEEL BUCKETS</b>	Z-100/200 Yellow peel bucket (open base) <i>Until finish the stock **Alternative reference S3301261: 00</i>	
<b>S3300171:00</b> <b>ORANGE</b> 33.0017.150	<b>OB VER/ESS PEEL BUCKETS</b>	Z-100/200 Orange peel bucket (open base) <i>Until finish the stock ** Alternative reference S3301261: 00</i>	
<b>S3300230:01</b> 33.0023.001	<b>JUICE CONTAINER VER/ESS</b>	VER / ESS Juice container <i>Valid for all versions previous to PRO</i>	










VERSATILE

REF.	DESCRIPTION	COMPOSITION	FOTO
<b>S3300240:01</b> 33.0024.001	<b>ASP UPPER PRESSING UNIT (2uts)</b>	Asp upper plastic pressing (2units) Valid for all the serial numbers	
<b>S3300242:00</b> 33.0024.200	<b>ASP KIT 65 UPPER PLASTIC PRESSING UNIT (2uts)</b>	Asp Kit 65 upper plastic pressing (2units) Valid for all the serial numbers	
<b>S3300250:00</b> 33.0025.000	<b>BEARINGS SEPARATOR KIT</b>	Internal separator (4units) Valid for all the serial numbers	
<b>S3300300:00</b> 33.0030.000	<b>VER/ESS PLATE+HEXAGONAL BASE KIT</b>	Colour Graphite feeder plate + Plate base Valid for all the serial numbers	
<b>S3300310:01</b> 33.0031.001	<b>ASP LOWER PRESSING UNIT</b>	Asp lower plastic pressing unit Valid for all the serial numbers	
<b>S3300310:02</b> 33.0031.002	<b>ASP LOWER PRESSING UNIT (2uts)</b>	Asp lower plastic pressing unit (2units) Valid for all the serial numbers	
<b>S3300312:00</b> 33.0031.200	<b>ASP KIT 65 LOWER PLASTIC PRESSING UNIT (2uts)</b>	Asp Kit 65 lower plastic pressing unit (2units) Valid for all the serial numbers	
<b>S3300350:00</b> 33.0035.000	<b>230V DIGITAL MODULE</b>	Digital module 230V + 3V Lithium battery Valid for all the serial numbers **Until finish the stock, is replaced by reference S3301031: 00	
<b>S3300380:00</b> 33.0038.000	<b>INCLINED LEFT P. EJECTOR KIT</b>	Left support + Peel ejector shovel + DIN 933 (2units) + DIN 9021 Washer (2units) + DIN 1587 Nut (2units) For machines with serial number between 163000 and 207530	

VERSATILE

REF.	DESCRIPTION	COMPOSITION	FOTO
<b>S3300390:00</b> 33.0039.000	<b>INCLINED RIGHT P. EJECTOR KIT</b>	Right support + Peel ejector shovel + DIN 933 (2units) + DIN 9021 Washer (2units) + DIN 1587 Nut (2units) <i>For machines with serial number between 163000 and 207530</i>	
<b>S3300400:00</b> 33.0040.000	<b>VERSATILE FEEDER ELBOW</b>	Feeder tube + DIN 912 Screw (2units) + Black allen cap (2units) + 4mm Allen key <i>For machines with serial number subsequent to 207530</i>	
<b>S3300402:00</b> 33.0040.200	<b>VERSATILE KIT 65 FEEDER ELBOW</b>	VER Kit 65 Feeder tube + DIN 912 Screw (2units) + Black allen cap (2units) + 4mm Allen key <i>For machines with serial number subsequent to 207530</i>	
<b>S3300430:00</b> 33.0043.000	<b>ELECTRONIC MODULE ESS/VER ON/OFF 230V</b>	220/240V Electronic module <i>Valid for all the serial numbers</i>	
<b>S3300440:00</b> 33.0044.000	<b>115V ON/OFF ELECTR. MODULE</b>	115V Electronic module <i>Valid for all versions previous to PRO</i>	
<b>S3300450:02</b> 33.0045.002	<b>VER/ESS FRONT COVER</b>	ESS/VER Cover + Silicone profile <i>Valid for all versions previous to PRO</i>	
<b>S3300460:00</b> 33.0046.000	<b>115V UL DIGITAL MODULE</b>	115V Digital module + 3V Lithium battery <i>Valid for all versions previous to PRO</i>	
<b>S3300580:00</b> 33.0058.000	<b>STAINLESS STEEL BLADE YOKE KIT</b>	Stainless steel blade yoke kit base + Blade rear side + Blade hinge + Blade holder V 2.1 + DIN 7991 Screw (2units) <i>To update machine with serial number previous to 207530</i>	
<b>S3300670:00</b> 33.0067.000	<b>SECURING KNOBS + RUBBER JOINT (2uts)</b>	Securing knob (2units) + Silicone joint (2units) <i>Valid for all the serial numbers</i>	

VERSATILE

REF.	DESCRIPTION	COMPOSITION	FOTO
<b>S3300740:00</b> 33.0074.000	<b>KEYBOARD MODULE 230V ON/OFF</b>	230V ON/OFF Keyboard module + Connection bus <i>Valid for all versions previous to PRO</i>	
<b>S3300750:00</b> 33.0075.000	<b>KEYBOARD MODULE 115V ON/OFF</b>	115V ON/OFF Keyboard module + Connection bus <i>Valid for all versions previous to PRO</i>	
<b>S3300760:00</b> 33.0076.000	<b>VERSATILE REAR COVER UPPER FLANGE</b>	Colour Graphite upper flap + Grey shock absorber (5units) <i>Valid for all the serial numbers</i>	
<b>S3300770:00</b> 33.0077.000	<b>FEEDER BASE ASSEMBLY</b>	Colour Graphite feeder base <i>Valid for all the serial numbers</i>	
<b>S3300780:00</b> <b>ORANGE</b> 33.0078.100	<b>VERSATILE FEEDER BODY</b>	Orange feeder body <i>Valid for all versions previous to PRO **Machines with serial number previous to 391999 except the numbers 391267 to 391271, recommended, change the peel bucket for S3301260: 00 or S3301261: 00, because of the colour difference.</i>	
<b>S3300780:00</b> <b>SILVER</b> 33.0078.200	<b>VERSATILE FEEDER BODY</b>	Silver feeder body <i>Valid for all versions previous to PRO **Machines with serial number previous to 391532, recommended, change the peel bucket for S3301270: 00 or S3301271: 00, because of the colour difference.</i>	
<b>S3300800:00</b> 33.0080.000	<b>VER/ESS GLASS HOLDER FILTER</b>	Glass holder filter <i>Valid for all the serial numbers</i>	
<b>S3300810:00</b> 33.0081.000	<b>ESS/VER GLASS HOLDER TRAY</b>	Colour Graphite Glass holder tray <i>Valid for all versions previous to PRO</i>	
<b>S3300820:00</b> 33.0082.000	<b>VER/ESS PEEL COVER</b>	Colour Graphite Pell cover + Silicone profile + Esp. Heyco Screw (2units) <i>Valid for all the serial numbers</i>	

VERSATILE










REF.	DESCRIPTION	COMPOSITION	FOTO
<b>S3300840:00</b> 33.0084.000	<b>VERS SELF SERVICE TAP KIT</b>	Prolongator + Faucet front cover + Faucet rear cover + Faucet SPB-F + Magneto (2units) + RFX 81T Screw + Faucet nut + Silicone joint <i>Valid for all versions previous to PRO</i>	
<b>S3300930:00</b> 33.0093.000	<b>ZUMEX VER/ESS PRO FRONT COVER</b>	ESS/VER Colour Graphite front cover + Silicone profile <i>Valid for all the serial numbers, recommended to use with the reference S3300940: 00 in machines with version previous to PRO</i>	
<b>S3300940:00</b> 33.0094.000	<b>VER / ESS DARK JUICE CONTAINER</b>	VER/ESS Colour Graphite juice container <i>Valid for machines without tap with version previous to PRO, that use the front cover reference S3300930: 00</i>	
<b>S3300990:00</b> 33.0099.000	<b>VERSATILE FEEDER BASKET</b>	Versatile feeder basket <i>Valid for all the serial numbers</i>	
<b>S3301000:00</b> 33.0100.000	<b>VERS/ESS LOCK KIT GRAPHITE</b>	Plastic cover lock + Lock base + RFX 81T Screw (2units): <i>Used in machines with serial number subsequent to Versatile 345862, Versatile S.S 345891 and PRO model **Possibility to update machines with the closing reference number S3300280: 00</i>	
<b>S3301020:00</b> 33.0102.000	<b>VERSATILE REAR COVER GRAFITO</b>	VER Graphite colour rear cover <i>Valid for all the serial numbers</i>	
<b>S3301030:00</b> 33.0103.000	<b>DIGITAL KEYBOARD KIT 230V</b>	230V Digital keyboard module + Connection bus <i>Valid for all the serial numbers previous to 418109 **Until finish the stock, is replaced by reference S3301031: 00. For machine subsequent to 418109 is replaced by reference S3301041: 00.</i>	
<b>S3301031:00</b> 33.0103.100	<b>DIGITAL MODULES 220V KIT</b>	5V Digital keyboard module + Connection bus + Digital module 230V + 3V Lithium battery <i>Valid for all the serial numbers</i>	
<b>S3301040:00</b> 33.0104.000	<b>DIGITAL KEYBOARD KIT 115V</b>	115V Digital keyboard module + Connection bus <i>Valid for all the serial numbers **Until finish the stock, is replaced by reference S3301041: 00.</i>	

VERSATILE








REF.	DESCRIPTION	COMPOSITION	FOTO
<b>S3301041:00</b> 33.0104.100	<b>DIGITAL KEYBOARD KIT 5V</b>	5V Digital keyboard module + Connection bus <i>Valid for all the serial numbers subsecuents to 418109</i>	
<b>S3301050:00</b> 33.0105.000	<b>SELF SERV. KEYBOARD KIT 230V</b>	230V Keyboard module (Self-service) + Connection bus + Keyboard cover (Self-service) <i>Valid for all versions previous to PRO</i>	
<b>S3301060:00</b> 33.0106.000	<b>VERSATILE S.S TAP AND TRAY KIT</b>	Juice container + Lock + Output join + Elbow 90° + Elbow nut + Circular reinforcement + Silicone joint + O-ring joint + Washer DIN 125 (2units) + Nut DIN 986 (2units) + Filter + Vers S.S Faucet kit <i>Valid for all versions previous to PRO</i>	
<b>S3301090:00</b> 33.0109.000	<b>DOBLE MAG. DETECTOR SET L600mm</b>	Double L=600mm Magnetic detector + MFS Silicone joint + Flat joint + Nylon nut + Female connection box <i>Valid for all Versatile 115V previous to PRO</i>	
<b>S3301100:00</b> 33.0110.000	<b>230V JUICERS MOTOR</b>	220/230V 0.4CV 50/60Hz Motor + Triple wall bypass + Female connection box + DIN 933 Screws (4units) + Triple cable gland <i>Valid for all the serial numbers</i>	
<b>S3301110:00</b> 33.0111.000	<b>115V JUICERS MOTOR</b>	120V 0.5CV 60Hz Motor + Triple wall bypass + Female connection box + DIN 933 Screws (4units) + Triple cable gland <i>Valid for all the serial numbers</i>	
<b>S3301120:00</b> 33.0112.000	<b>MAGNET DETECTOR (24V)</b>	L=600mm Magnetic detector + MFS Silicone joint + Flat joint + Nylon nut + Female connection box <i>Valid for all Versatile 230V previous to PRO</i>	
<b>S3301150:00</b> 33.0115.000	<b>VERSATILE ON/OFF AND S.S CONNECTION BUS</b>	ON/OFF Keyboard connection bus <i>Valid for all versions previous to PRO</i>	
<b>S3301160:00</b> 33.0116.000	<b>DIGITAL KEYBOARD CONNECTION BUS</b>	Digital keyboard connection bus: <i>Valid for all versions previous to PRO</i>	












VERSATILE

REF.	DESCRIPTION	COMPOSITION	FOTO
<b>S3301170:00</b> 33.0117.000	<b>VERS/SS TUBE MAGNET DETECTOR</b>	Tube magnetic detector + Connection terminal + Female fast-on + Female box connection <i>Valid for all versions previous to PRO</i>	
<b>S3301190:00</b> 33.0119.000	<b>SPAGGIARI REDUCER BRIDLE</b>	Spaggiari reducer bridle <i>Valid for all the serial numbers</i>	
<b>S3301200:00</b> 33.0120.000	<b>ESS/VER REDUCER 1:60</b>	Reducer MVF 49F Rel.1:60 + DIN 933 Screw (4units) + DIN 7991 Screw (4units) + DIN 9021 Washer (4units) + DIN 127 Washer (4units) + DIN 934 Nut (4units) <i>Valid for all serial numbers</i>	
<b>S3301240:00 ORANGE</b> 33.0124.000	<b>VERSATILE PRO FEEDER BODY</b>	Feeder body PRO colour Orange <i>Valid for machines PRO</i>	
<b>S3301240:00 SILVER</b> 33.0125.000	<b>VERSATILE PRO FEEDER BODY</b>	Feeder body PRO colour Silver <i>Valid for machines PRO</i>	
<b>S3301260:00 ORANGE</b> 33.0126.000	<b>VER/ESS PRO PEEL BUCKET</b>	Peel bucket PRO colour Orange <i>Machines with serial number previous to 391999 except the numbers 391267 to 39127, recommended, change the feeder body for S3300781: 00, because of the colour difference.</i>	
<b>S3301261:00 ORANGE</b> 33.0126.100	<b>VER/ESS PRO OB PEEL BUCKETS</b>	Peel bucket open base PRO colour Orange <i>Machines with serial number previous to 391999 except the numbers 391267 to 391271, recommended, change the feeder body for S3300781: 00, because of the colour difference.</i>	
<b>S3301260:00 SILVER</b> 33.0127.000	<b>VER/ESS PRO PEEL BUCKET</b>	Peel bucket PRO colour Silver <i>Machines with serial number previous to 391532, recommended, change the feeder body for S3300782: 00, because of the colour difference.</i>	
<b>S3301261:00 SILVER</b> 33.0127.100	<b>VER/ESS PRO OB PEEL BUCKETS</b>	Peel bucket open base PRO colour Silver <i>Machines with serial number previous to 391532), recommended, change the feeder body for S3300782: 00, because of the colour difference.</i>	










VERSATILE

REF.	DESCRIPTION	COMPOSITION	FOTO
<b>S3301260:00</b> <b>GRAPHITE</b> 33.0128.000	<b>VER/ESS PRO PEEL BUCKET</b>	Peel bucket PRO colour Graphite: Valid for machines PRO	
<b>S3301240:00</b> <b>GRAPHITE</b> 33.0129.000	<b>VERSATILE PRO FEEDER BODY</b>	Feeder body PRO colour Graphite Valid for machines PRO	
<b>S3301300:00</b> 33.0130.000	<b>ESS-VER PRO MAIN BOARD 230V</b>	Ess-Vers PRO Main board 230V Valid for machines PRO	
<b>S3301310:00</b> 33.0131.000	<b>ESS-VER PRO KEYBOARD</b>	Ess-Vers Keyboard module PRO + Connection bus wire + Keyboard cover + Ferrite (2units) Valid for machines PRO	
<b>S3301320:00</b> 33.0132.000	<b>VER-ESS PRO JUICE CONTAINER</b>	PRO Juice container Valid for machines PRO	
<b>S3301330:01</b> 33.0133.001	<b>VER-ESS PRO FAUCET</b>	PRO Faucet set Valid for machines PRO	
<b>S3301340:00</b> 33.0134.000	<b>VER-ESS PRO CONTAINER FILTER</b>	Juice container filter PRO Valid for machines PRO	
<b>S3301350:00</b> 33.0135.000	<b>ESS/VER PRO BASE</b>	Ess-Vers Pro Base + Flat cover Pro + Ess-Vers Pro Glass holder tray + RFX 81T Screw (2units) + DIN 9021 Washer (2units) + Glass holder filter Valid for all serial numbers	
<b>S3301360:00</b> 33.0136.000	<b>ESS-VER PRO GLASS HOLDER TRAY</b>	Ess-Vers PRO Glass holder tray Valid for machines PRO	










VERSATILE

REF.	DESCRIPTION	COMPOSITION	FOTO
<b>S3301370:00</b> 33.0137.000	<b>PRO MAGNET DETECTOR 230V</b>	Magnet detector PRO 230V Valid for machines PRO	
<b>S3301380:00</b> 33.0138.000	<b>ESS-VER PRO MAIN BOARD 115V</b>	Ess-Vers PRO Main board 115V + Fuse 10 A Valid for machines PRO	
<b>S3301390:00</b> 33.0139.000	<b>PRO MAGNET DETECTOR UL 115V SET</b>	Magnet detector PRO 115V UL Valid for machines PRO	
<b>S3301410:00</b> 33.0141.000	<b>VERSATILE COLOUR UPDATING KIT</b>	Peel cover + Orange peel bucket (2units) + Base + Coaster tray and filter + Flat cover + Feeder plate + Plate base + Orange feeder body + Feeder base + Keyboard cover + DIN 7981B Screw (9units) + DIN 7991 Screw M6 For machines with yellow base	
<b>S3301420:00</b> 33.0142.000	<b>VERSATILE COLOUR UPDATING OB KIT</b>	Peel cover + Orange peel bucket OB (2units) + Base + Coaster tray and filter + Countertop kit cover + Feeder plate + Plate base + Orange feeder body + Feeder base + Keyboard cover + DIN 7981B Screw (9units) + DIN 7991 Screw M6 For machines with yellow base	
<b>S3301430:00</b> 33.0143.000	<b>VERSATILE D COLOUR UPDATING KIT</b>	Peel cover + Orange peel bucket (2units) + Base + Coaster tray and filter + Flat cover + Feeder plate + Plate base + Orange feeder body + Feeder base + Keyboard D cover + DIN 7981B Screw (9units) + DIN 7991 Screw M6 For machines with yellow base	
<b>S3301440:00</b> 33.0144.000	<b>VERSATILE D COLOUR UPDATING OB KIT</b>	Peel cover + Orange peel bucket OB (2units) + Base + Coaster tray and filter + Countertop kit cover + Feeder plate + Plate base + Orange feeder body + Feeder base + Keyboard D cover + DIN 7981B Screw (9units) + DIN 7991 Screw M6 For machines with yellow base	
<b>S3301450:00</b> 33.0145.000	<b>ASP UPDATE KIT</b>	ASP Upper pressing unit (2units) + ASP Lower pressing unit (2units) + ASP Right peel ejector + ASP Left peel ejector + ASP Blade holder V.2.1 ASP + Securing knob (4units) + Silicone joint (4units) + ASP Label Valid for machines with serial number subsequent to 207530	
<b>S3301470:00</b> 33.0147.000	<b>FEEDER ANGULAR GEARING KIT</b>	Angular gear case + DIN 933 Screw (2units) + DIN 9021 Washer (2units) + DIN 127 Washer (2units) + DIN 1481 Elastic pin (2units) Valid for all the serial numbers	










VERSATILE

REF.	DESCRIPTION	COMPOSITION	FOTO
<b>S3301580:00</b> 33.0158.000	<b>ESS/VER PRO KEYBOARD COVER</b>	Keyboard cover Essential-Versatile PRO Valid for machines PRO	
<b>S3301581:00</b> 33.0158.100	<b>Z200 DIGITAL KEYBOARD COVER</b>	Versatile D Keyboard cover v 2.1 Valid for all Versatile Digital, versions previous to PRO	
<b>S3301582:00</b> 33.0158.200	<b>ON/OFF KEYBOARD COVER</b>	Versatile On/Off Keyboard cover v 2.1 Valid for all Versatile On/Off, versions previous to PRO	
<b>S3301583:00</b> 33.0158.300	<b>Z200 SELF-SERVICE KEYBOARD COVER</b>	Versatile (Self Service) Keyboard cover Valid for all Versatile Self Service, versions previous to PRO	
<b>S3301590:00</b> 33.0159.000	<b>Z200 DIGITAL MODULE SUPPORT</b>	Versatile D Keyboard cover support + Separator case (6units) + Button cushion (7units) + DIN 7991 Screw (6units) + DIN 934 Nut (6units) Valid for all Versatile Digital, versions previous to PRO	
<b>S3301591:00</b> 33.0159.100	<b>Z200 ON/OFF MODULE SUPPORT</b>	Versatile On/Off Keyboard cover support + Separator case (4units) + Button cushion (2units) + DIN 7991 Screw (4units) + DIN 934 Nut (4units) Valid for all Versatile On/Off and Self Service, versions previous to PRO	
<b>S3301610:00</b> 33.0161.000	<b>SHAFT REDUCER BOLT</b>	Bolt 8x7x40 Valid for all serial numbers	
<b>S3301611:00</b> 33.0161.100	<b>SHAFT JUICER BOLT</b>	Bolt 10x8x25 Valid for all serial numbers	
<b>S3301620:00</b> 33.0162.000	<b>VER/ESS INTERMEDIATE CLAMP</b>	Ess/Vers Intermediate Bridle + DIN 933 Screw (4units) + DIN 9021 Washer (4units) + DIN 127 Washer (4units) Valid for all serial numbers	



VERSATILE

REF.	DESCRIPTION	COMPOSITION	FOTO
<b>S3301630:00</b> 33.0163.000	<b>BLADE HOLDER SUPORT</b>	Blade holder rear + Blade holder rod <i>For machines with serial number subsequent to 207530</i>	
<b>S3301640:00</b> 33.0164.000	<b>PLASTIC INJECTION HINGE</b>	Ess/Vers Injection hinge <i>Valid for all serial numbers</i>	
<b>S3301650:00</b> 33.0165.000	<b>PRO S.S FRONT COVER</b>	Pro Stainless Steel front cover + DIN 912 Screw + Black Allen cap M5 <i>Valid for machines PRO</i>	
<b>S3301651:00</b> 33.0165.100	<b>S.S FRONT COVER</b>	Stainless Steel front cover + DIN 912 Screw + Black Allen cap M5 <i>Valid for machines PRO</i>	
<b>S3301661:00</b> 33.0166.100	<b>VERS/ESS FRAME</b>	ESS/VERS Frame + Adhesive wire holder (2units) <i>Valid for machines PRO ** Spare part sold with identification label and on request. INDISPENSABLE SEND THE SERIAL NUMBER</i>	
<b>S3301670:00</b> 33.0167.000	<b>LOWER PRESSING SHAFT</b>	Metallic lower pressing shaft + Bolt 10x8x25 + DIN 472 Sec. Ring (2units) + 6007 Bearing 2RS (2units) + Inner separator + Gear Washer + DIN 127 Washer + DIN 912 Screw <i>Valid for all serial numbers</i>	
<b>S3301680:00</b> 33.0168.000	<b>FLAT COVER PRO</b>	Flat cover + RFX Screw 81T (2units) + DIN 9021 Washer (2units) <i>Valid for machines PRO **Modified the front side, open for compatibilizing with elevation kit.</i>	
<b>S3301690:00</b> 33.0169.000	<b>UPPER PRESSING SHAFT</b>	Metallic upper pressing shaft + Bolt 10x8x25 + DIN 472 Sec. Ring (2units) + 6007 Bearing 2RS (2units) + Inner separator + Gear Washer + DIN 127 Washer + DIN 912 Screw <i>Valid for all serial numbers</i>	
<b>S3301700:00</b> 33.0170.000	<b>VER/ESS UE CABLE</b>	UE Cable 2'5 Mts PRO + Ground wire + Doble terminal with gap + Triple cable gland + Simple cable gland + Fast-on terminal (3units) + Female connection box <i>Valid for all the serial numbers ** Include the connectors for models previous to PRO</i>	

VERSATILE

REF.	DESCRIPTION	COMPOSITION	FOTO
<b>S3301701:00</b> 33.0170.100	<b>VER/ESS GB CABLE</b>	GB Cable 2.5 Mts PRO + Ground wire + Doble terminal with gap + Triple cable gland + Simple cable gland + Fast-on terminal (3units) + Female connection box <i>Valid for all the serial numbers ** Include the connectors for models previous to PRO</i>	
<b>S3301702:00</b> 33.0170.200	<b>VER/ESS UL/JAP CABLE</b>	JAP PSE Cable 2.5 Mts PRO + Ground wire + Doble terminal with gap + Triple cable gland + Simple cable gland + Fast-on terminal (3units) + Female connection box <i>Valid for all the serial numbers ** Include the connectors for models previous to PRO</i>	
<b>S3301703:00</b> 33.0170.300	<b>VER/ESS AUS CABLE</b>	Australia Cable 2.5 Mts PRO + Ground wire + Doble terminal with gap + Triple cable gland + Simple cable gland + Fast-on terminal (3units) + Female connection box <i>Valid for all the serial numbers ** Include the connectors for models previous to PRO</i>	
<b>S3301712:00</b> 33.0171.200	<b>Z12 REDUCER SHAFT</b>	Z12 Reducer shaft + Supplement + Bolt 8x7x40 + DIN 912 Screw + DIN 127 Washer + Gear washer <i>Valid for all the serial numbers</i>	
<b>S3301720:00</b> 33.0172.000	<b>BOARD BOX</b>	Board black box + Board box cover + Grey shock absorber (2units) + DIN 7981B Screw (2units) + Perfil semicircular <i>Valid for all serial numbers</i>	
<b>S3301730:00</b> 33.0173.000	<b>BIG PLASTIC GEAR</b>	Big plastic gear <i>Valid for all serial numbers</i>	
<b>S3301740:00</b> 33.0174.000	<b>SMALL PLASTIC GEAR</b>	Small plastic gear <i>Valid for all serial numbers</i>	
<b>S3301750:00</b> 33.0175.000	<b>SMALL METALLIC GEAR</b>	Small metallic gear <i>Valid for all serial numbers</i>	
<b>S3301790:00</b> 33.0179.000	<b>CAPACITOR 16uF MOTOR</b>	Capacitor 16 uF 400V M8 <i>Valido para todos los números de serie en maquina de 220v</i>	

VERSATILE

REF.	DESCRIPTION	COMPOSITION	FOTO
<b>S3301791:00</b> 33.0179.100	<b>CAPACITOR 65uF MOTOR</b>	Capacitor 65 uF 400V M8 Valido para todos los números de serie en maquina de 115v	
<b>S3301800:00</b> 33.0180.000	<b>ASP D65 PEEL EJECTORS SET</b>	ASP Right peel ejector + ASP Left peel ejector + Peel ejector Kit 65 supplement (2units) For machines with serial number subsequent to 207530	

Thank you for purchasing an original ZUMEX spare part. We hope that our spare part will adapt perfectly to your needs and that it will work properly and for a long time.

The ZUMEX original spare parts are the same as those used in our equipment. They are submitted to the same quality controls as the original components installed in your equipment, satisfying the strictest regulatory requirements to guarantee the quality and safety of the spares.



\* See the range of certified products.

The warranty terms and conditions corresponding to your purchase of an original ZUMEX spare part are described in this document.

### Basic Warranty Conditions

ZUMEX guarantees the excellent quality of the original ZUMEX spare part you have purchased new and that it will be in good working order for 6 months as from the purchase date. This warranty exclusively covers ZUMEX original spare parts.

Please read this document carefully and if you have any doubts, please contact us at [www.zumex.com](http://www.zumex.com).

### What does the warranty cover?

This warranty comprises the right to replace the ZUMEX original spare part purchased new by you from ZUMEX GROUP S.A. free of charge, if such spare should have a manufacturing or assembly defect or operating fault, so long as this is due to a manufacturing fault that represents a deficiency in its normal operation. It shall not cover a refund of the purchase price under any circumstances.

ZUMEX may ask you, at any time, to send the faulty part whose replacement you are requesting, in order for ZUMEX to verify the defect. Its shipment will be a compulsory requirement for the validity of this warranty. If it is indeed a manufacturing defect, the part will be replaced and the costs derived from this process will be assumed by ZUMEX.

For this ZUMEX warranty to become effective, you must provide proof of the date of purchase of the ZUMEX original spare part, via the relative purchase invoice.

### What does the warranty not cover?

Given that ZUMEX, as manufacturer of the original spare part, cannot assume responsibility for certain aspects not related to our activity, there are certain faults and damage that this warranty cannot cover.

Please inspect the state of the ZUMEX original spare part purchased on delivery, and check that it is the right one before installing it. Remember that a bad diagnosis may cause the spare part purchased not to work correctly or the incorrect operation of the equipment. Any flaw, damage or operating deficiency, caused by mistakes in selecting the spare part, by inadequate installation or improper use of the spare part, will result in the loss of coverage of this warranty and of the warranty of the equipment that this spare part is installed in.

If you do not send the faulty part when requested by ZUMEX to verify the defect, this warranty will lose its validity.

In any case, the following are excluded from the coverage of this warranty:

- The service provision (travel), manpower and transport concepts, which may possibly arise in those cases deemed appropriate by ZUMEX.
- Faults or damages caused to the spare part, not attributable to its design or manufacture, but caused by external conditions, flaws caused by knocks or impacts, damage due to climate conditions or other natural phenomena, as well as external influences such as voltage and/or pressure surges.
- Faults or damage to the spare part caused by improper use or use contrary to the purpose defined by the manufacturer, due improper handling, to the use of inappropriate chemical agents or washing products, to damage caused by chemical or electrochemical effects of the water, as well as due to incorrect installation or assembly, due to general unusual environmental conditions or to improper maintenance of the equipment, due to failure to observe the care and cleaning
- Replacement or repair of parts affected by wear, included in the normal maintenance and cleaning of the equipment; and those that the manufacturer recommends should be replaced within a specific period of time or number of work cycles.
- Replacement or repair of fragile parts (for example wedges, handles, covers, containers, spouts, etc.) when their fault or breakage is not attributable to a manufacturing defect.

Finally, the warranty would be cancelled if the spare part is installed in equipment in which non-original ZUMEX parts are also installed or additional parts or accessories that are not ZUMEX originals are used.

### Important

To be entitled to this warranty, it will be essential to provide ZUMEX GROUP S.A. with proof of the date of receipt of the new original ZUMEX spare part by you, by providing the purchase invoice. Please keep the purchase invoice.

Except for the express warranties set forth above, ZUMEX grants no other warranties, express or implied, by statute or otherwise, regarding the product, fitness for any purpose or otherwise. To the extent that permitted by the local laws, ZUMEX shall not be liable for the any defect, inconvenience, loss or any other consequential damage, arising out of the use, or inability to use the product or breach of any express or implied warranty.

Welcome to ZUMEX, we hope you will enjoy your products.

\*Warranty terms applicable to products sold after 01/01/2014.