


# PODIUM

*SPARE PART CATALOGUE*



2014.05.29










PODIUM

REF.	DESCRIPTION	COMPOSITION	FOTO
<b>S3320010:00</b> 33.2001.000	<b>STABILIZER ROD SET</b>	Stabilizer rod + DIN 934 Nut + DIN 127 Washer <i>Valid for all Speed podium</i>	
<b>S3320020:00</b> 33.2002.000	<b>43 L. (11.35 GAL) PEEL BUCKET</b>	43 L. peel bucket <i>Valid for all Stainless Steel podium</i>	
<b>S3320021:00</b> 33.2002.100	<b>WASTE TROLLEY PRO PODIUM</b>	Podium waste trolley+ D4x10 S.S Rivet (2units) + DIN 9021 Washer (2units) <i>Valid for PRO model podium</i>	
<b>S3320022:00</b> 33.2002.200	<b>COOLER PEEL BUCKET</b>	Peel bucket Multibox 30 l <i>Valid for Speed Cooler podium</i>	
<b>S3320030:00</b> 33.2003.000	<b>SET WHEEL WITHOUT BRAKE S.S PODIUM</b>	Revolving wheel without brake + DIN 934 Nut (4units) + DIN 125 S.S Washer (4units) + DIN 127 Washer (4units) + DIN 912 Screw (4units) <i>Valid for all Stainless Steel podium</i>	
<b>S3320031:00</b> 33.2003.100	<b>SET WHEEL WITHOUT BRAKE PODIUM PRO</b>	Revolving wheel without brake + DIN 934 Nut + DIN 439 Nut + DIN 912 Screw + DIN 125 Washer + DIN 6798 Washer <i>Valid for PRO model podium</i>	
<b>S3320040:00</b> 33.2004.000	<b>SET WHEEL WITH BRAKE PODIUM INOX</b>	Revolving wheel with brake + DIN 934 Nut (4units) + DIN 125 S.S Washer (4units) + DIN 127 Washer (4units) + DIN 912 Screw (4units) <i>Valid for all Stainless Steel podium</i>	
<b>S3320041:00</b> 33.2004.100	<b>SET WHEEL WITH BRAKE PODIUM PRO</b>	Revolving wheel with brake + DIN 934 Nut + DIN 439 Nut + DIN 912 Screw + DIN 125 Washer + DIN 6798 Washer <i>Valid for PRO model podium</i>	
<b>S3320050:00</b> 33.2005.000	<b>SPEED MACHINE STAND BUMPER SET</b>	Machine bumper case + DIN 125 Washer + DIN 985 Nut + DIN 963 Screw <i>Valid for all Speed podium</i>	









PODIUM

REF.	DESCRIPTION	COMPOSITION	FOTO
<b>S3320051:00</b> 33.2005.100	<b>ESS/VERS STAND FASTENING WASHER</b>	Stand fastening washer Z-250 + DIN 985 Nut + DIN 7991 Screw <i>Valid for Stainless Steel podium of Versatile and Essential</i>	
<b>S3320052:00</b> 33.2005.200	<b>PRO STAND BUMPER SET</b>	Bumper case + DIN 965 Screw + DIN 127 Washer + DIN 934 Nut <i>Valid for PRO model podium</i>	
<b>S3320060:00</b> 33.2006.000	<b>SPEED BASE SQUARES KIT</b>	Left square + Right square + DIN 912 Screw (4units) + DIN 125 Washer (2units) + DIN 9021 Washer (2units) <i>Valid for all Speed podium</i>	
<b>S3320070:00</b> 33.2007.000	<b>PEEL CONE GUIDE SPEED STAND</b>	Speed Peel cone guide <i>Valid for all Speed podium</i>	
<b>S3320071:00</b> 33.2007.100	<b>PEEL CONE GUIDE S.S STAND ESS/VER</b>	Ver/Ess S.S Peel cone guide <i>Valid for Stainless Steel podium of Versatile and Essential</i>	
<b>S3320072:00</b> 33.2007.200	<b>CONE GUIDE COVER PODIUM PRO</b>	PRO Cone guide cover <i>Valid for PRO model podium</i>	
<b>S3320073:00</b> 33.2007.300	<b>INNER PEEL GUIDE COOLER STAND</b>	Cooler inner peel guide + DIN 933 Screw (3units) + DIN 125 Arandela S.S (3units) <i>Valid for Speed Cooler podium</i>	
<b>S3320074:00</b>	<b>PEEL CONE GUIDE SPEED STAND PRO</b>	Speed PRO S.S Peel cone guide <i>Valid for Stainless Steel podium of Speed PRO</i>	
<b>S3320080:00</b> 33.2008.000	<b>PRO STAND LOWER SHEET</b>	PRO Wheels fixation sheet + Black Cap (6units) + DIN 912 Screw (6units) + DIN 125 Washer (6units) <i>Valid for PRO model podium</i>	










PODIUM

REF.	DESCRIPTION	COMPOSITION	FOTO
<b>S3320081:00</b> <i>33.2008.100</i>	<b>EU 230V CONNECTION SHEET</b>	Rear connection sheet + Doble socket Base + UL Heyco Press + UE Cable + Hollow Terminal (3units) + Würth Ferrite + Plastic Securing Knob + Silicone Gasket + DIN 912 Screw (2units) + DIN 125 Washer (2units) + DIN 934 Nut (2units) <i>Valid for Speed Cooler podium with Euplug</i>	
<b>S3320082:00</b> <i>33.2008.200</i>	<b>GB 230V CONNECTION SHEET</b>	Rear connection sheet + Doble socket Base + UL Heyco Press + UE Cable + Hollow Terminal (3units) + Ferrite RKFZ (2units) + Plastic Securing Knob + Silicone Gasket + DIN 912 Screw (2units) + DIN 125 Washer (2units) + DIN 934 Nut (2units) <i>Valid for Speed Cooler podium with GB plug</i>	
<b>S3320083:00</b> <i>33.2008.300</i>	<b>UL 115V CONNECTION SHEET</b>	Rear connection sheet + Doble socket Base + UL Heyco Press + UE Cable + Hollow Terminal (3units) + Plastic Securing Knob + Silicone Gasket + DIN 912 Screw (2units) + DIN 125 Washer (2units) + DIN 934 Nut (2units) + Addapter Schuko <i>Valid for 115V Speed Cooler podium</i>	
<b>S3320090:00</b> <i>33.2009.000</i>	<b>PEEL GUIDES SPEED STAND SET (2Units)</b>	Peel guides 265 mm (2units) <i>Valid for all Speed podium</i>	
<b>S3320091:00 ORANGE</b> <i>33.2009.100</i>	<b>VER/ESS PRO OB PEEL BUCKETS</b>	Peel bucket open base PRO colour Orange <i>Valid for PRO model podium. ** Podiums of machines with serial number previous to 391999 except the numbers 391267 to 391271, recommended, change the feeder body for S3300781: 00, because of the colour difference.</i>	
<b>S3320091:00 SILVER</b> <i>33.2009.110</i>	<b>VER/ESS PRO OB PEEL BUCKETS</b>	Peel bucket open base PRO colour Silver <i>Valid for PRO model podium. ** Podiums of machines with serial number previous to 391532, recommended, change the feeder body for S3300782: 00, because of the colour difference.</i>	
<b>S3320091:00 GRAPHITE</b> <i>33.2009.120</i>	<b>VER/ESS PRO OB PEEL BUCKETS</b>	Peel bucket open base PRO colour Graphite <i>Valid for PRO model podium</i>	
<b>S3320092:00</b>	<b>PEEL GUIDES SPEED STAND SET PRO (2uts)</b>	Peel guides Speed PRO (2units) <i>Valid for Speed PRO podium</i>	
<b>S3320100:00</b> <i>33.2010.000</i>	<b>PODIUM SPEED FILTER</b>	Speed podium filter <i>Valid for all Speed podium, except Tank podium</i>	










PODIUM

REF.	DESCRIPTION	COMPOSITION	FOTO
<b>S3320101:00</b> 33.2010.100	<b>DARK COLOR TANK HOLDER</b>	V 2.0 Tank holder dark color (2units) <i>Valid for Speed Tank podium</i>	
<b>S3320102:00</b> 33.2010.200	<b>DARK COLOR TANK HOLDER MODIFIED</b>	Tank support modified (2units) + DIN 7981 S.S Screw (4units) <i>Valid for kit 33.0026.000</i>	
<b>S3320103:00</b> 33.2010.210	<b>TRAY AND TANK SUPPORT MODIFIED</b>	Container tray V 2.0 + Container support (2 unidades) + Screw DIN 7981B (4 unidades) + Tray prolongator <i>Valid to update old podiums with the guides in the sides of Speed Tank podium only. **This kit replaces the kit S330260: 00, must be assemble with kit S3320190: 01</i>	
<b>S3320104:00</b> 33.2010.300	<b>LEVEL REGULATION SUPPORT</b>	Control level Support + Fixation screw + DIN 912 Screw (2uds) + DIN 1587 Nut + NBR O-Ring + Transparent Tube <i>Valid for Speed Cooler podium</i>	
<b>S3320105:00</b>	<b>PODIUM SPEED FILTER PRO</b>	Speed PRO podium filter: <i>Valid for Speed PRO podium</i>	
<b>S3320110:00</b> 33.2011.000	<b>PODIUM PRO LOWER PROFILE SET</b>	Lower profile podium + DIN 7505A Screw (3units) <i>Valid for PRO model podium</i>	
<b>S3320111:00</b> 33.2011.100	<b>HORIZONTAL "U" GUIDE KIT</b>	Horizontal "U" Guide + Silicone Profile + DIN 912 Screw (3units) + DIN 127 Washer (3units) <i>Valid for Speed Cooler podium</i>	
<b>S3320112:00</b> 33.2011.150	<b>VERTICAL "U" GUIDE KIT</b>	Vertical "U" Guide + Silicone Profile + DIN 912 Screw (3units) + DIN 127 Washer (3units) <i>Valid for Speed Cooler podium</i>	
<b>S3320120:00</b> 33.2012.000	<b>SPEED PODIUM S.S DOOR SET</b>	Speed S.S Podium complete door + Magnet door lock (2units) + GPN Black cap (6units) + Bolt guide (4units) + DIN 985 Nut (4units) + Door puller + DIN 85 Screw (2units) + Turn rod + DIN 125 Washer (4units) <i>Valid for all Speed podium</i>	

PODIUM

REF.	DESCRIPTION	COMPOSITION	FOTO
<b>S3320121:00</b> 33.2012.100	<b>VER/ESS PODIUM S. STEEL DOOR SET</b>	VER / ESS S.S Podium complete door + S.S Door puller + DIN 84 Screw (2units) + GPN Black cap (2units) + VER / ESS Turn door rod + DIN 125 Washer (4units) <i>Valid for Stainless Steel podium of Versatile and Essential</i>	
<b>S3320122:00</b> <b>ORANGE</b> 33.2012.200	<b>PRO PODIUM DOOR SET</b>	Orange PRO Podium door + Podium door profile + DIN 7505A Screw (11units) + Adhesive tape 12 mm <i>Valid for PRO model podium</i>	
<b>S3320122:00</b> <b>SILVER</b> 33.2012.210	<b>PRO PODIUM DOOR SET</b>	Silver PRO Podium door + Podium door profile + DIN 7505A Screw (11units) + Adhesive tape 12 mm <i>Valid for PRO model podium</i>	
<b>S3320122:00</b> <b>GRAPHITE</b> 33.2012.220	<b>PRO PODIUM DOOR SET</b>	Graphite PRO Podium door + Podium door profile + DIN 7505A Screw (11units) + Adhesive tape 12 mm <i>Valid for PRO model podium</i>	
<b>S3320123:00</b> 33.2012.300	<b>SPEED COOLER PODIUM S.S DOOR SET</b>	Fresh Podium door + Magnet door lock + S.S Rivet (4units) + GPN Black cap (2units) + S.S Door Puller + DIN 84 Screw (2units) + Turn rod + DIN 125 Washer (4units) <i>Valid for Speed Cooler podium</i>	
<b>S3320124:00</b>	<b>SPEED PRO PODIUM S.S DOOR SET</b>	Speed Pro S.S Podium complete door + GPN Black cap (6units) + Bolt guide (4units) + DIN 985 Nut (4units) + Door puller + DIN 85 Screw (2units) + Turn rod + DIN 125 Washer (4units) <i>Valid for all Speed PRO podium</i>	
<b>S3320130:00</b> 33.2013.000	<b>S. STEEL PODIUM HANDLE</b>	S.S Door puller + DIN 84 Screw (2units) + GPN Black cap (2units) <i>Valid for all Stainless Steel podium</i>	
<b>S3320140:00</b> 33.2014.000	<b>SPEED PODIUM DOOR TURN ROD</b>	Speed turn rod + DIN 125 Washer (4units) <i>Valid for all Speed podium except Cooler</i>	
<b>S3320141:00</b> 33.2014.100	<b>VER/ESS S. STEEL PODIUM DOOR TURN ROD</b>	VER / ESS Turn rod + DIN 125 Washer (4units) <i>Valid for Stainless Steel podium of Versatile and Essential</i>	

PODIUM










REF.	DESCRIPTION	COMPOSITION	FOTO
<b>S3320142:00</b> 33.2014.200	<b>PODIUM PRO HINGE SET</b>	Piano hinge + Embellisher of Hinge - Door + Embellisher of Hinge - Door + DIN 7505A Screw (22units) <i>Valid for PRO model podium</i>	
<b>S3320143:00</b> 33.2014.300	<b>COOLER PODIUM DOOR TURN ROD</b>	Turn rod + DIN 125 Washer (4units) <i>Valid for Speed Cooler podium</i>	
<b>S3320150:00</b> 33.2015.000	<b>MAGNET DOOR LOCK SET S. STEEL PODIUM</b>	Lock magnet door + S.S Rivet (6units) + DIN 84 Screw (2units) <i>Valid for Sttainless Steel podium</i>	
<b>S3320160:00</b> 33.2016.000	<b>PODIUM PRO DOOR LOCK PROFILE</b>	PRO Podium profile lock + Adhesive tape 12 mm <i>Valid for PRO model podium</i>	
<b>S3320170:00</b> 33.2017.000	<b>FRONT AND TRAY SPEED PODIUM</b>	Drip tray front with lock + Drip tray + Adhesive to slide (4uds) + DIN 986 Nut (2uds) + DIN 125 Washer (2uds) + DIN 7991 Screw (2uds) <i>Valid for Speed Tank podium and Speed Self service podium</i>	
<b>S3320171:00</b> 33.2017.100	<b>VER/ESS TARY AND FILTER S. STEEL</b>	Tray support framing square + Securing knob + Silicone Joint + Lower tray filter + VER / ESS Podium lower tray <i>Valid for Stainless Steel podium of Versatile and Essential</i>	
<b>S3320172:00</b> 33.2017.200	<b>COMPLETE DRIP TRAY COOLER</b>	Cooler Drip Tray + Cooler Drip Tray Filter <i>Valid for Speed Cooler podium</i>	
<b>S3320180:00</b> 33.2018.000	<b>DRIP FILTER SPEED PODIUM</b>	Speed drip tray filter <i>Valid for Speed Tank podium and Speed Self service podium</i>	
<b>S3320181:00</b> 33.2018.100	<b>VER/ESS DRIP FILTER S. STEEL</b>	Ver / Ess Lower tray filter <i>Valid for Stainless Steel podium of Versatile and Essential</i>	

PODIUM

REF.	DESCRIPTION	COMPOSITION	FOTO
<b>S3320182:00</b> 33.2018.200	<b>DRIP FILTER COOLER PODIUM</b>	Cooler Drip Tray Filter <i>Valid for Speed Cooler podium</i>	
<b>S3320190:00 FUME</b> 33.2019.000	<b>JUICE TANK CONTAINER (COMPLETE)</b>	Juice container body V 2.0 + Juice container cover V 2.0 + Agitator V 2.0 + Faucet SPB-F + Faucet nut SPB-F + Faucet prolongator SPB-F <i>Valid for Speed Tank podium only. ** Until finish the stock, reference alternative S3320190: 01</i>	
<b>S3320190:00 DARK</b> 33.2019.010	<b>JUICE TANK CONTAINER (COMPLETE)</b>	Graphite juice container body V 2.0 + Graphite juice container cover V 2.0 + Agitator V 2.0 + Faucet SPB-F + Faucet nut SPB-F + Faucet prolongator SPB-F <i>Valid for Speed Tank podium only. ** Until finish the stock, reference alternative S3320190: 01</i>	
<b>S3320190:01 DARK</b> 33.2019.011	<b>JUICE TANK (COMPLETE)</b>	Speed PRO juice container body + Speed PRO juice container cover + Agitator PRO + Faucet SPB-F + Faucet nut SPB-F + Faucet prolongator SPB-F <i>Valid for all Speed Tank podium</i>	
<b>S3320190:00 DARK</b>	<b>JUICE TANK CONTAINER (COMPLETE)</b>	Speed PRO juice container body + Speed PRO juice container cover + Agitator PRO + Faucet SPB-F + Faucet nut SPB-F + Faucet prolongator SPB-F + Chapa detector boya + Boya detector de nivel <i>Valid for all Speed PRO Tank podium</i>	
<b>S3320191:00</b> 33.2019.100	<b>TAP AND TRAY KIT ZUMEX ESS/VER</b>	Mechanized juice container + Filter + Elbow nut + O-ring seal + 90 grades elbow + Output elbow + Flat gasket + SPF Faucet (complete) + Faucet reinforcement <i>Valid for Stainless Steel podium of Versatile and Essential</i>	
<b>S3320192:00</b> 33.2019.200	<b>COOLER TANK (COMPLETE)</b>	Cooler 7L Tank + Cooler Tank Lid + Cooler Tank Gasket <i>Valid for Speed Cooler podium</i>	
<b>S3320200:00</b> 33.2020.000	<b>SPB-F FAUCET (COMPLETE)</b>	Silicone joint + Prolongator + Faucet nut + SPB-F Faucet <i>Valid for all Stainless Steel podium</i>	
<b>S3320201:00</b> 33.2020.100	<b>COOLER TAP (COMPLETE)</b>	Cooler Tap Piston + Cooler Tap Gasket + Cooler Tap Lever <i>Valid for Speed Cooler podium</i>	



PODIUM

REF.	DESCRIPTION	COMPOSITION	FOTO
<b>S3320210:00</b> 33.2021.000	<b>SPB-F FAUCET</b>	Grifo SPB-F <i>Valid for all Stainless Steel podium</i>	
<b>S3320211:00</b> 33.2021.100	<b>COOLER TAP LEVER</b>	Cooler Tap Lever <i>Valid for Speed Cooler podium</i>	
<b>S3320220:00 FUME</b> 33.2022.000	<b>TANK JUICE CONTAINER</b>	Juice container body V 2.0 + Juice container cover V 2.0 <i>Valid for Speed Tank podium only. ** Until finish the stock, reference alternative S3320220: 01</i>	
<b>S3320220:00 DARK</b> 33.2022.010	<b>TANK JUICE CONTAINER</b>	Graphite juice container body V 2.0 + Graphite juice container cover V 2.0 <i>Valid for Speed Tank podium only. ** Until finish the stock, reference alternative S3320220: 01</i>	
<b>S3320220:01 DARK</b> 33.2022.011	<b>JUICE TANK KIT</b>	Speed PRO juice container body + Speed PRO juice container cover + Buoy support cap (2units) <i>Valid for all Speed Tank podium</i>	
<b>S3320224:00</b>	<b>JUICE TANK PRO KIT</b>	Speed PRO juice container body + Speed PRO juice container cover + Level buoy + Buoy support <i>Valid for all Speed PRO Tank podium</i>	
<b>S3320221:00</b> 33.2022.100	<b>PODIUM INOX VER/ESS JUICE TRAY</b>	Mechanized juice container + Filter <i>Valid for Stainless Steel podium of Versatile and Essential</i>	
<b>S3320222:00</b> 33.2022.200	<b>230V COMPLETE FRESH DISPENSER 7L</b>	Fresh 7L 230V Dispenser + Cooler 7L Tank + Cooler Tank Lid + Cooler Tank Gasket + Cooler Drip Tray + Cooler Drip Tray Filter + Cooler Tap Piston + Cooler Tap Gasket + Cooler Tap Lever + Cooler Pump Turbine + Cooler Pump Cover + Cooler Pump Fixation Sheet <i>Valid for 230V Speed Cooler podium</i>	
<b>S3320223:00</b> 33.2022.300	<b>115V COMPLETE FRESH DISPENSER 7L</b>	Fresh 7L 115V Dispenser + Cooler 7L Tank + Cooler Tank Lid + Cooler Tank Gasket + Cooler Drip Tray + Cooler Drip Tray Filter + Cooler Tap Piston + Cooler Tap Gasket + Cooler Tap Lever + Cooler Pump Turbine + Cooler Pump Cover + Cooler Pump Fixation Sheet <i>Valid for 115V Speed Cooler podium</i>	





PODIUM

REF.	DESCRIPTION	COMPOSITION	FOTO
<b>S3320230:00 FUME</b> 33.2023.000	<b>TANK JUICE CONTAINER COVER</b>	Juice container cover V 2.0 Valid for Speed Tank podium only. ** Until finish the stock, reference alternative S3320230: 01	
<b>S3320230:00 DARK</b> 33.2023.010	<b>TANK JUICE CONTAINER COVER</b>	Graphite juice container cover V 2.0 Valid for Speed Tank podium only. ** Until finish the stock, reference alternative S3320230: 01	
<b>S3320230:01 DARK</b> 33.2023.011	<b>JUICE TANK COVER</b>	Graphite juice container cover V 2.0 Valid for Speed Tank podium only	
<b>S3320234:00</b>	<b>JUICE TANK COVER PRO</b>	Speed PRO juice container cover Valid for Speed PRO Tank podium	
<b>S3320231:00</b> 33.2023.100	<b>COOLER TANK LID</b>	Cooler Tank Lid Valid for Speed Cooler podium	
<b>S3320240:00</b> 33.2024.000	<b>JUICE TANK SHAKER</b>	Black handle + V 2.0 Tank agitator Valid for Speed Tank podium only. **Until finish the stock, reference alternative S3320240:01	
<b>S3320240:01</b>	<b>JUICE TANK PRO SHAKER</b>	Black handle + V 2.0 Tank agitator Valid for Speed Tank podium Pro and podiums of previous machines.	
<b>S3320241:00</b> 33.2024.100	<b>COOLER TANK TURBINE</b>	Cooler Pump Turbine Valid for Speed Cooler podium	
<b>S3320250:00</b> 33.2025.000	<b>TRAY SPEED PODIUM</b>	Drip try + DIN 986 Nut (2uds) + DIN 125 Washer (2uds) + DIN 7991 Screw (2uds) Valid for Speed Tank podium and Speed Self service podium	



PODIUM

REF.	DESCRIPTION	COMPOSITION	FOTO
<b>S3320251:00</b> 33.2025.100	<b>TRAY VER/ESS S.S PODIUM</b>	VER / ESS S.S podium lower tray <i>Valid for Stainless Steel podium of Versatile and Essential</i>	
<b>S3320260:00</b> 33.2026.000	<b>COOLER LEVEL REGULATOR</b>	Base control level + Control level cover + DIN 912 Screw (2units) + GPN Cap (2units) + DIN 125 Arandela (2units) <i>Valid for Speed Cooler podium</i>	
<b>S3320270:00</b> 33.2027.000	<b>COOLER LEVEL PHOTOCELL KIT</b>	Receiver Photocell + Emiteer Photocell + Helicoidal White Belt + Elonger wire F/F + Elonger wire F/M + Ferrite <i>Valid for Speed Cooler podium</i>	
<b>S3320280:00</b> 33.2028.000	<b>COOLER CONNECTION SHEET PROFILE</b>	Protection profile (4units) <i>Valid for Speed Cooler podium</i>	
<b>S3320290:00</b> 33.2029.000	<b>COOLER "U" GUIDES PROFILE</b>	Silicone Profile (6units) <i>Valid for Speed Cooler podium</i>	
<b>S3320310:00</b> 33.2031.000	<b>COOLER LEVEL FOOT</b>	Cooler Level Foot <i>Valid for Speed Cooler podium</i>	
<b>S3320320:00</b> 33.2032.000	<b>COOLER PUMP COVER</b>	Cooler Pump Cover <i>Valid for Speed Cooler podium</i>	
<b>S3320330:00</b> 33.2033.000	<b>COOLER PUMP FIXATION SHEET</b>	Cooler Pump Fixation Sheet <i>Valid for Speed Cooler podium</i>	
<b>S3320340:00</b> 33.2034.000	<b>COOLER TANK GASKET</b>	Cooler Tank Gasket <i>Valid for Speed Cooler podium</i>	

PODIUM

REF.	DESCRIPTION	COMPOSITION	FOTO
<b>S3320350:00</b> 33.2035.000	<b>COOLER TAP GASKET</b>	Cooler Tap Gasket Valid for Speed Cooler podium	
<b>S3320360:00</b> 33.2036.000	<b>COOLER 230V MOTOR</b>	Cooler Motor 230V Valid for Speed Cooler podium	
<b>S3320361:00</b> 33.2036.100	<b>COOLER 115V MOTOR</b>	Cooler Motor 115V Valid for Speed Cooler podium	
<b>S3320370:00</b> 33.2037.000	<b>COOLER MOTOR FAN</b>	Cooler Motor Fan Valid for Speed Cooler podium	
<b>S3320380:00</b> 33.2038.000	<b>COOLER SWITCH RUBBER</b>	Cooler Switch Protector Valid for Speed Cooler podium	
<b>S3320390:00</b> 33.2039.000	<b>COOLER SWITCH</b>	Cooler Switch Valid for Speed Cooler podium	
<b>S3320400:00</b> 33.2040.000	<b>COOLER THERMOSTAT REGULATOR</b>	Cooler Thermostat Regulator Valid for Speed Cooler podium	
<b>S3320420:00</b> 33.2042.000	<b>ZUMEX DISPLAY DRAINAGETUBE KIT</b>	Hose + Quick splice + Connector 3/4"-1/2 + Braze Valid for all the serial numbers	
<b>S3320430:00</b>	<b>PROTECTIVE STRIP PRO PODIUM</b>	Protection profile Valid for Speed PRO podium	

PODIUM

REF.	DESCRIPTION	COMPOSITION	FOTO
S3320440:00	SPEED PRO COVER PODIUM	Protection profile Valid only for Speed PRO podium with excess water system installed	
S3320450:00	JUICE TANK PRO BUOY KIT	Level detector buoy + buoy detector sheet Valid only for Speed PRO Tank podium	

Thank you for purchasing an original ZUMEX spare part. We hope that our spare part will adapt perfectly to your needs and that it will work properly and for a long time.

The ZUMEX original spare parts are the same as those used in our equipment. They are submitted to the same quality controls as the original components installed in your equipment, satisfying the strictest regulatory requirements to guarantee the quality and safety of the spares.



\* See the range of certified products.

The warranty terms and conditions corresponding to your purchase of an original ZUMEX spare part are described in this document.

#### Basic Warranty Conditions

ZUMEX guarantees the excellent quality of the original ZUMEX spare part you have purchased new and that it will be in good working order for 6 months as from the purchase date. This warranty exclusively covers ZUMEX original spare parts.

Please read this document carefully and if you have any doubts, please contact us at [www.zumex.com](http://www.zumex.com).

#### What does the warranty cover?

This warranty comprises the right to replace the ZUMEX original spare part purchased new by you from ZUMEX GROUP S.A. free of charge, if such spare should have a manufacturing or assembly defect or operating fault, so long as this is due to a manufacturing fault that represents a deficiency in its normal operation. It shall not cover a refund of the purchase price under any circumstances.

ZUMEX may ask you, at any time, to send the faulty part whose replacement you are requesting, in order for ZUMEX to verify the defect. Its shipment will be a compulsory requirement for the validity of this warranty. If it is indeed a manufacturing defect, the part will be replaced and the costs derived from this process will be assumed by ZUMEX.

For this ZUMEX warranty to become effective, you must provide proof of the date of purchase of the ZUMEX original spare part, via the relative purchase invoice.

#### What does the warranty not cover?

Given that ZUMEX, as manufacturer of the original spare part, cannot assume responsibility for certain aspects not related to our activity, there are certain faults and damage that this warranty cannot cover.

Please inspect the state of the ZUMEX original spare part purchased on delivery, and check that it is the right one before installing it. Remember that a bad diagnosis may cause the spare part purchased not to work correctly or the incorrect operation of the equipment. Any flaw, damage or operating deficiency, caused by mistakes in selecting the spare part, by inadequate installation or improper use of the spare part, will result in the loss of coverage of this warranty and of the warranty of the equipment that this spare part is installed in.

If you do not send the faulty part when requested by ZUMEX to verify the defect, this warranty will lose its validity.

In any case, the following are excluded from the coverage of this warranty:

- The service provision (travel), manpower and transport concepts, which may possibly arise in those cases deemed appropriate by ZUMEX.
- Faults or damages caused to the spare part, not attributable to its design or manufacture, but caused by external conditions, flaws caused by knocks or impacts, damage due to climate conditions or other natural phenomena, as well as external influences such as voltage and/or pressure surges.
- Faults or damage to the spare part caused by improper use or use contrary to the purpose defined by the manufacturer, due improper handling, to the use of inappropriate chemical agents or washing products, to damage caused by chemical or electrochemical effects of the water, as well as due to incorrect installation or assembly, due to general unusual environmental conditions or to improper maintenance of the equipment, due to failure to observe the care and cleaning
- Replacement or repair of parts affected by wear, included in the normal maintenance and cleaning of the equipment; and those that the manufacturer recommends should be replaced within a specific period of time or number of work cycles.
- Replacement or repair of fragile parts (for example wedges, handles, covers, containers, spouts, etc.) when their fault or breakage is not attributable to a manufacturing defect.

Finally, the warranty would be cancelled if the spare part is installed in equipment in which non-original ZUMEX parts are also installed or additional parts or accessories that are not ZUMEX originals are used.

#### Important

To be entitled to this warranty, it will be essential to provide ZUMEX GROUP S.A. with proof of the date of receipt of the new original ZUMEX spare part by you, by providing the purchase invoice. Please keep the purchase invoice.

Except for the express warranties set forth above, ZUMEX grants no other warranties, express or implied, by statute or otherwise, regarding the product, fitness for any purpose or otherwise. To the extent that permitted by the local laws, ZUMEX shall not be liable for the any defect, inconvenience, loss or any other consequential damage, arising out of the use, or inability to use the product or breach of any express or implied warranty.

Welcome to ZUMEX, we hope you will enjoy your products.

\*Warranty terms applicable to products sold after 01/01/2014.